

MAR-05-2003 17:21

SUGHRUE MION

650 325 6606

P.01



OFFICIAL

1010 El Camino Real
Menlo Park, CA 94025-4345
T 650.325.5800
F 650.325.6606

www.sughrue.com

FAX

Date March 5, 2003

To Ex. A. Crowell
Group Art Unit 1763

Of U.S. Patent and Trademark Office

Fax 703-872-9310

From Frank L. Bernstein

Subject Amendment/Corrected Drawings

Our Ref CA1117/005651 USA/ETCH Your Ref USSN 09/834,343

Pages 8
(including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

In re application of

Michael Barnes, et al.

Appln. No.: 09/834,343

Confirmation No.: 2414

Filed: April 12, 2001

For: PLASMA REACTOR ELECTRODE

Group Art Unit: 1763

Examiner: Anna M. Crowell

FAX RECEIVED
MAR 07 2003
GROUP 1763

PAPERS ENTITLED:

- 1) AMENDMENT UNDER 37 C.F.R. § 1.111
- 2) CORRECTED FORMAL DRAWINGS

6 pages
1 page

Received from < 650 325 6606 > at 3/5/03 8:13:09 PM [Eastern Standard Time]

Applied Docket No. 005651 USA/ETCH/CHMBR/JB1
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Michael Barnes, et al.

Appln. No.: 09/834,343

Group Art Unit: 1763

Confirmation No.: 2414

Examiner: Anna M. Crowell

Filed: April 12, 2001

For: PLASMA REACTOR ELECTRODE

AMENDMENT UNDER 37 C.F.R. §1.111

BOX NON-FEE AMENDMENT
Assistant Commissioner for Patents
P.O. Box 2327
Arlington, VA 22202

FAX RECEIVED
MAR 07 2003
GROUP 1700

Sir:

In response to the Office Action dated December 5, 2002, for which the Examiner set a three-month period for response, please amend the above-identified application as follows:

IN THE CLAIMS:

Please cancel claims 11-13 without prejudice or disclaimer.

REMARKS

Claims 1-10 and 14-16 are all the claims pending in the application, claims 11-13 having been cancelled without prejudice.

The Examiner objects to the drawings and requires Applicants to furnish corrected drawings. Applicants correct typographical errors in Fig.1 and submit corrected Fig. 1 as an Appendix to this Amendment. Specifically, reference numbers 6 and 12 are deleted. Reference number 2 designating an unknown part is changed to reference number 8 designating the outer ring